

महाराष्ट्र शासन
शासकीय वैद्यकीय महाविद्यालय व अतिविशेषोपचाररुग्णालय, नागपूर.
Govt. Medical College & Superspeciality Hospital, Nagpur.

Phone No.0712-2701541

Fax No.0712-2746682

E-mail-gmcssh95@gmail.com

Ref. No./GMC&SSH/PS/CSSD/QT/ 577 /23

Date: - 02/01/2023

UPC

QUOTATION

To,

M/s

.....

.....


Sub :- Supply of Instrument/Equipment/Materials of the Govt. Medical College & Super Speciality Hospital, Nagpur (**Quotation for Surgical Items at CSSD Department.**)

Dear Sir,

The undersigned is invited sealed quotations for the store enlisted below/As per enclosed statement, for the use of Govt. Medical College & Super Speciality Hospital, Nagpur on the following terms & conditions.

1. The prices quoted should be for free delivery of the ordered stores to Govt. Medical College & Super Speciality Hospital, Nagpur premises F.O.R. Destination.
2. The prices quoted should be inclusive of taxes of duties. If any payable like customs excise, CST, ST and G.T. the breakup of the taxes should also be shown separately wherever necessary. The Sales Tax Registration number should be quoted in your letters. Exemption of taxes, if on A.F. Forms also be separately stated.
3. The serial number of the items should not be changed while quotation rates. You may drop the item if not interested.
4. Rates should be quoted strictly for the item specified in the list & for standard quantity of goods. In case of alternate Officer, the detailed specification, name of manufacturer or make etc. must be stated. Specification other than specified in the schedule may be liable for rejection even through lowest.
5. The quotation submitted will be valid for a period of one year only from the date of acceptance.
6. Delivery period be stated specifically like ready Stock/Two weeks/Four weeks etc. & should be from supply of stores if order should be made within the stipulated period mentioned there in. Failures will be liable for delisting from further offers.
7. The quotation received after the due date will not be accepted. The quotations must be submitted in a sealed cover, unsealed quotations will not be accepted. **The last date of receiving the quotation is 13/02/2023 by 4:00 P.M.**

8. Supply of ordered stores should be made in one installment unless otherwise ordered piecemeal supply will not be accepted. Payment will be made within 4 to 8 weeks after receive of full quantity with bills in quadruplicate & only after the satisfactory report of working etc. of the stores. Condition of advance payment through Bank. Etc. or part payment will not be accepted.
9. Quotations if asked with samples & if not accompanying the same will be liable for rejection even they are lowest samples should be sent with a tables attached quoting our ref. No. of Inquiry & Item No. etc.
10. The Govt. Medical College & Super Speciality Hospital, Nagpur do not pledge himself to accept the lowest or any quotation and reserve to right of acceptance of any quotation which suits to his requirements.
11. In case you are not interested in quoting your rates in reply to his inquiry a line in reply is must. Failing which are liable for desisting their names for further esquires from our margin list and No further request in this matter will be entertained.
12. Literature, instructions manuals showing specifications, working etc. may also be sent with quotations.
13. Bidder should apply in 2 Bid- **TECHNICAL BID & COMMERCIAL BID** also write clearly on envelope as **TECHNICAL BID** and **COMMERCIAL BID** in **BOLD Letter**. Bid submitted separately in sealed cover Envelope otherwise their quotation not to be accepted.
- (a) First Bid (Technical Bid) should include Registration Certificate, Sale tax, IT Return Certificate, PAN card, GST No, Compliance chart as per specification, Brochure of the quoted Material as per specification write clearly an envelope as **TECHNICAL BID**.
- (b) Second Bid (Commercial Bid) should include items rates only.
14. Quote Price of the equipment as Basic cost & all other charges for Delivery. After Opening the Technical Bid Qualified Bidder will have to give demonstration of equipment as well as shown their quoted items to HOD for technical approval as a Technical Committee otherwise Bidder names not to be included in commercial bid.
15. Technical Bid & Commercial Bid must be Submitted Separately in sealed cover, at the Dean Office GMC, Nagpur in a special quotation box of Super Speciality Hospital.


Dean,
Government Medical College &
Superspeciality Hospital,
Nagpur.

महाराष्ट्र शासन
शासकीय वैद्यकीय महाविद्यालय व अतिविशेषोपचाररुग्णालय, नागपूर.
Govt. Medical College & Superspeciality Hospital, Nagpur.

Phone No.0712-2701541

Fax No.0712-2746682

E-mail-gmcssh95@gmail.com

Ref. No. /GMC&SSH/PS/CSSD/QT/ 577 /23

Date: - 02 /01/2023

TECHNICAL BID FORM

CSSD Department Machinery Requirement Quotation

(It is Compulsory to provide sample for Technical Approval)

| Sr. No. | Name of Items with Specification | Brand/Make/ Company Name |
|---|---|--------------------------|
| CHEMICAL & BIOLOGICAL INDICATORS | | |
| 1 | Class 1 Indicators STEAM - 3 Line Double Adhesive STEAM label - color change after sterilization Non-Toxic, Lead Free, ISO 11140-1, Type-1 mentioned on Label. Roll of 750 Labels, each Roll with Lot Number, Expiry mentioned. ISO 9001, ISO 13485. | |
| 2 | Class 1 Indicators ETO - 3 Line Double Adhesive ETO label - color change after sterilization Non-Toxic, Lead Free, ISO 11140-1, Type-1 mentioned on Label. Roll of 750 Labels, each Roll with Lot Number, Expiry mentioned. ISO 13485 | |
| 3 | Class 1 Indicators H2O2 Plasma - 3 Line Double Adhesive PLASMA Label - after sterilization Non-Toxic, Lead Free, ISO 11140-1, Type-1 mentioned on Label. Roll of 750 Labels, each Roll with Lot Number, Expiry mentioned. ISO 9001, ISO 13485 | |
| 4 | Monarch 1153 - 3 Line Labelling gun with Ink roll - 1 nos 1 Gun Given Free of cost If all Class 1 Indic. Provided in Order to us | |
| 5 | Class 2 Indicators STEAM- Bowie Dick test Pack (UV Laminated) Color from Yellow to Black with Class 1 Indicator on Pack for identifying processed/ unprocessed pack. Non-Toxic, Lead Free, Pack Sheet should have space to write all details such as Batch no, Hospital, operator name, Date etc. EN 285, ISO 11140 - Part 1 and Part 3 adherence. ISO 9001, ISO 13485 | |

| Sr. No. | Name of Items with Specification | Brand/Make/ Company Name |
|---------|---|--------------------------|
| 6 | Class 2 Indicators STEAM- Bowie Dick test Hollow PCD 4 Meters Lumen length, 2 mm diameter, SS Device, Color Change from Yellow to Black in 6 separate block indicators. Non-Toxic, Lead Free, EN 285, EN ISO 11140 - Part 1:2009 and Part 4:2007 adherence. ISO 9001, ISO 13485. 1 PCD - Will be given Free in consignment | |
| 7 | Class 4 Indicator - PLASMA, Package Monitoring Indicator, Color change after sterilization 6 Minutes, 50 Degrees, 2.3 mg/l H2O2, 100% Toxic and Metal Free, ISO 11140-1, ANMAT PM 1614-1, ISO 9001, 13485, Shelf Life - 5 Years | |
| 8 | Class 5 Indicators - Biological Indicators - Steam Self Contained 1 x 10⁶ Population with Certificate of Analysis of each Batch. ISO 11138-1, ISO 11138-3, IRAM 37102 (Part 1 & 3), ISO 13485, ANMAT PM-1614-1 and USP Compliant. D Value not lower than 1.5 min (121 Degrees C) | |
| 9 | Class 5 Indicators - Biological Indicators - ETO Self Contained 1 x 10⁶ Population with Certificate of Analysis of each Batch. ISO 11138-1, ISO 11138-3, IRAM 37102 (Part 1 & 3), ISO 13485, ANMAT PM-1614-1 and USP Compliant. D Value not lower than 2.5 min (600 mg/l EO) | |
| 10 | Class 5 Indicators - Biological Indicators - PLASMA Self Contained 1 x 10⁶ Population with Certificate of Analysis of each Batch. ISO 11138-1, IRAM 37102 (Part 1 & 3), ISO 13485, ANMAT PM-1614-1 and USP Compliant. D Value 2 mg/l H2O2 | |
| 11 | Class 6 Indicators STEAM - Emulating Indicator " Not Sterile" Mentioned with clear color change from Yellow to black only, With Ref Color Change, With Self-Adhesive Sticking, Double Laminated, Non-Toxic, Lead-Free, Metal Free. ISO 11140-1 Type 6 and Lot Number should be mentioned on Each Indicator for Lot Tracking. ISO 9001, ISO 13485 | |

| Sr. No. | Name of Items with Specification | Brand/Make/ Company Name |
|---|--|--------------------------|
| 12 | Class 5 Integrator ETO- ETO indicator 60 x 25 mm, with color change from Red and Brown to Yellow green only, 100% Toxic and Metal Free Substances, ISO 11140-1, Type 5, ISO 9001, ISO 13485. | |
| 13 | Class 5 Indicator ETO- Batch Monitoring System (BMS) - Lot Control Test with Helix PCD of 1.5 Meters Length, 2 mm lumen dia, Teflon coated. 4 Block Indicator Color Change from light Blue to Green. 100% Toxic and Metal Free Substances, EN 285, EN 867-5, ISO 11140-1, ISO 11140-4, ISO 11140-5 Standards, ISO 13485 Certified | |
| 14 | Ultrasonic Cleaner Indicator For Monitoring Ultrasonic Washers, High Challenge Level, Color elimination of Fuchsia organic substance , Size 70mm x 30mm, ISO/ TS 15883-5, EN ISO 13485, 5 Years shelf life, | |
| ETO Packing Sterilization Reels ISO 9001, ISO 13485, CE, EN 868 with Steam/ ETO Indicator, 60 gsm Billiard Paper | | |
| 15 | Packing Reel - 05 cm x 200 mts | |
| 16 | Packing Reel - 7.5 cm x 200 mts | |
| 17 | Packing Reel - 10 cm x 200 mts | |
| 18 | Packing Reel - 15 cm x 200 mts | |
| 19 | Packing Reel - 20 cm x 200 mts | |
| 20 | Packing Reel - 25 cm x 200 mts | |
| 21 | Packing Reel - 30 cm x 200 mts | |
| 22 | Packing Reel - 35 cm x 200 mts | |
| 23 | Packing Reel - 40 cm x 200 mts | |

| Sr. No. | Name of Items with Specification | Brand/Make/ Company Name |
|--|---|--------------------------|
| TYVEK Packing Sterilization Reels (For Plasma H2O2) ISO 9001, ISO 13485, CE, EN 868 with Plasma Indicator, 1073B Tyvek | | |
| 24 | Tyvek Sterilization Roll 50mm x 70 M | |
| 25 | Tyvek Sterilization Roll 75mm x 70 M | |
| 26 | Tyvek Sterilization Roll 100mm x 70 M | |
| 27 | Tyvek Sterilization Roll 150mm x 70 M | |
| 28 | Tyvek Sterilization Roll 200mm x 70 M | |
| 29 | Tyvek Sterilization Roll 250mm x 70 M | |
| 30 | Tyvek Sterilization Roll 300mm x 70 M | |
| 31 | Tyvek Sterilization Roll 350mm x 70 M | |
| Disposable SMS Wrapping Paper - US FDA Certified, CE Certified, 96.2% Bacterial Filtration Efficiency (Minimum) with Test Reports, Validation Reports, Certificates, MSDS | | |
| 32 | Kinguard - 61 cm x 61 cm | |
| 33 | Kinguard - 76 cm x 76 cm | |
| 34 | Kinguard - 101 cm x 101 cm | |
| 35 | Kinguard - 121 cm x 121 cm | |
| CSSD Disinfectant Solutions | | |
| 36 | <u>Multi-Enzyme Solution</u> 12% v/v Protease, Lipase, Amylase with Non-Ionic Surfactant, PH Neutral, Corrosion inhibitors, With Validation Reports, MSDS, CoA, Dilution Charts, Training on Usage. CE (93/42/EEC Class II b or 98/8/EC), 13485 | |
| 37 | <u>Rust & Stain Remover</u> Inorganic Acid (> 30% Phosphoric Acid), Non Ionic Surfactant (<5%), Non-flammable, No harmful VOC's, GMP Certified, With Validation Reports, MSDS, CoA, Dilution Charts, Training on Usage. CE (93/42/EEC Class II b or 98/8/EC), 13485 | |

| Sr. No. | Name of Items with Specification | Brand/Make/ Company Name |
|---|---|--------------------------|
| 38 | <p><u>High-Level Disinfectant</u> Aldehyde Free - 3% w/v [poly(hex methylene biguanide)hydrochloride] (PHMB), 10% w/v Dodecyl dimethyl ammonium chloride (DDAC) with Sporicidal and Mycobactericidal activity, Colorless, odorless, known action against nosocomial infections, biofilms, With Validation Reports, MSDS, CoA, Dilution Charts, Training on Usage. CE (93/42/EEC Class II b or 98/8/EC), 13485</p> | |
| 39 | <p><u>Linen Disinfectant</u> 5% w/v Dodecyl Dimethyl Ammonium Chloride (DADC) 4th Gen QAC, bioburden tolerant, Contains fabric softener, no decoloring effect, Bactericidal, fungicidal, veridical With Validation Reports, MSDS, CoA, Dilution Charts, Training on Usage. CE (93/42/EEC Class II b or 98/8/EC), 13485</p> | |
| 40 | <p><u>Surface Disinfectant Spray</u> 0.5% w/v Benzalkonium Chloride IP, 70% Isopropyl Alcohol (2-Propanol) IP, Perfume, Pea Green Color. Bactericidal, Fungicidal, with 1 min contact time, Residual effect, non-corrosive and biocompatibility with all metal and non-metal surfaces With Validation Reports, MSDS, CoA, Dilution Charts, and Training on Usage. CE (93/42/EEC Class II b or 98/8/EC), 13485</p> | |
| CSSD Cleaning/ Safety/ Other Consumables | | |
| 41 | <p><u>Cleaning Brushes</u> Instrument Cleaning Brushes - Set of 2 pcs (Double Sided Brushes with 1 nos Lumen Device and 1 nos Regular brush) for cleaning Suction/ scopes/ lumen devices</p> | |
| 42 | <p><u>SIMPLE PPE Kit – Disposable</u> Personal Protection Kit for WASHING Area with Gown, Gloves, Waste bag, Goggle, Head Cap, Face Mask, Shoe Cover</p> | |
| 43 | <p><u>Fluid shield Facemask with Visor</u> PFE > 99%, BFE > 99%, ASTM 160mm Hg, Ear loop, Foam Band, Orange Color</p> | |

| Sr. No. | Name of Items with Specification | Brand/Make/ Company Name |
|---|--|--------------------------|
| 44 | <u>Medical Safety Clogs</u> Safety Shoes - Covered with Aeration Holes, Anti-Static, Anti-Slip, Chemical Resistant, Good Grip, Blue Colored, Non-Flammable, Washable | |
| 45 | <u>Safety Gloves for Wet Steam Handling for Autoclave</u> Upto 300 Degrees safety, Silicon Material, Flexible, water-proof, Washable, Imported with all Certificates of Analysis | |
| 46 | <u>Special CSSD Marker Pen</u> Non-Toxic Ink, Permanent Marker for Autoclave/ETO/Plasma. BLACK Color | |
| 47 | <u>Temperature & Humidity Meter</u> Sterile Area Monitor for Temperature, Humidity and time | |
| 48 | <u>Stain and Rust Remover Pad</u> Scotch bright type safe pad for removal of rust, stain, blood from soiled instruments, Non damaging to instruments, Brown Color, Approx. Size - 150 x 100 mm | |
| 49 | <u>MultiMat</u> Disinfectant MultiMat - 60 x 115 cm - Blue with Antimicrobial coating - For Critical area, (30 Layers in 1 Mat set) | |
| Solution for Washer Disinfectant | | |
| 50 | <u>Neutralizer</u> for Machine Cleaning the thermostable & thermolabile instrument & laboratory glass ware | |
| 51 | Alkaline resistant cleaner for metal, glass, plastic, rubber Eliminate area & dirt (blood, protein, oil, grease, resin, wax, thoroughly.) | |
| 52 | Abro Tape | |
| 53 | Autoclave Tape | |
| 54 | Ink Roll | |
| 55 | Thermal Printer Paper for Steam Sterilizer 116mm | |

- 1 All indicators are non-Toxic, 100% Metal Free, lead free with data sheets and Technical compliance Report certified to ISO 11140.
- 2 Authorization Certificate of Manufacturer Attached.
- 3 Validation of Indicators will be done on the machines with report generation.
- 4 All Indicators of international repute make and supported with all of these: Validation reports, Technical sheets, ISO compliance reports, Material Safety Data Sheets, Directions for Use.
- 5 Training will be conducted FOR Documentation, SOP, and protocol setting.



Dean,
Government Medical College &
Superspeciality Hospital,
Nagpur.

महाराष्ट्र शासन
शासकीय वैद्यकीय महाविद्यालय व अतिविशेषोपचाररुग्णालय, नागपूर.
Govt. Medical College & Superspeciality Hospital, Nagpur.

Phone No.0712-2701541

Fax No.0712-2746682

E-mail-gmcssh95@gmail.com

Ref. No. /GMC&SSH/PS/CSSD/QT/ 577 /23

Date: - 6 2/01/2023

PRICE BID FORM

CSSD Department Machinery Requirement Quotation

| Sr. No. | Name of Items with Specification | Rate inclusive all Taxes |
|---|---|--------------------------|
| CHEMICAL & BIOLOGICAL INDICATORS | | |
| 1 | Class 1 Indicators STEAM - 3 Line Double Adhesive STEAM label - color change after sterilization Non-Toxic, Lead Free, ISO 11140-1, Type-1 mentioned on Label. Roll of 750 Labels, each Roll with Lot Number, Expiry mentioned. ISO 9001, ISO 13485. | |
| 2 | Class 1 Indicators ETO - 3 Line Double Adhesive ETO label - color change after sterilization Non-Toxic, Lead Free, ISO 11140-1, Type-1 mentioned on Label. Roll of 750 Labels, each Roll with Lot Number, Expiry mentioned. ISO 13485 | |
| 3 | Class 1 Indicators H2O2 Plasma - 3 Line Double Adhesive PLASMA Label - after sterilization Non-Toxic, Lead Free, ISO 11140-1, Type-1 mentioned on Label. Roll of 750 Labels, each Roll with Lot Number, Expiry mentioned. ISO 9001, ISO 13485 | |
| 4 | Monarch 1153 - 3 Line Labelling gun with Ink roll - 1 nos 1 Gun Given Free of cost If all Class 1 Indic. Provided in Order to us | |
| 5 | Class 2 Indicators STEAM- Bowie Dick test Pack (UV Laminated) Color from Yellow to Black with Class 1 Indicator on Pack for identifying processed/ unprocessed pack. Non-Toxic, Lead Free, Pack Sheet should have space to write all details such as Batch no, Hospital, operator name, Date etc. EN 285, ISO 11140 - Part 1 and Part 3 adherence. ISO 9001, ISO 13485 | |


| Sr. No. | Name of Items with Specification | Rate inclusive all Taxes |
|---------|---|--------------------------|
| 6 | Class 2 Indicators STEAM- Bowie Dick test Hollow PCD 4 Meters Lumen length, 2 mm diameter, SS Device, Color Change from Yellow to Black in 6 separate block indicators. Non-Toxic, Lead Free, EN 285, EN ISO 11140 - Part 1:2009 and Part 4:2007 adherence. ISO 9001, ISO 13485. 1 PCD - Will be given Free in consignment | |
| 7 | Class 4 Indicator - PLASMA, Package Monitoring Indicator, Color change after sterilization 6 Minutes, 50 Degrees, 2.3 mg/l H2O2, 100% Toxic and Metal Free, ISO 11140-1, ANMAT PM 1614-1, ISO 9001, 13485, Shelf Life - 5 Years | |
| 8 | Class 5 Indicators - Biological Indicators - Steam Self Contained 1 x 10⁶ Population with Certificate of Analysis of each Batch. ISO 11138-1, ISO 11138-3, IRAM 37102 (Part 1 & 3), ISO 13485, ANMAT PM-1614-1 and USP Compliant. D Value not lower than 1.5 min (121 Degrees C) | |
| 9 | Class 5 Indicators - Biological Indicators - ETO Self Contained 1 x 10⁶ Population with Certificate of Analysis of each Batch. ISO 11138-1, ISO 11138-3, IRAM 37102 (Part 1 & 3), ISO 13485, ANMAT PM-1614-1 and USP Compliant. D Value not lower than 2.5 min (600 mg/l EO)) | |
| 10 | Class 5 Indicators - Biological Indicators - PLASMA Self Contained 1 x 10⁶ Population with Certificate of Analysis of each Batch. ISO 11138-1, IRAM 37102 (Part 1 & 3), ISO 13485, ANMAT PM-1614-1 and USP Compliant. D Value 2 mg/l H2O2 | |
| 11 | Class 6 Indicators STEAM - Emulating Indicator " Not Sterile" Mentioned with clear color change from Yellow to black only, With Ref Color Change, With Self-Adhesive Sticking, Double Laminated, Non-Toxic, Lead-Free, Metal Free. ISO 11140-1 Type 6 and Lot Number should be mentioned on Each Indicator for Lot Tracking. ISO 9001, ISO 13485 | |

| Sr. No. | Name of Items with Specification | Rate inclusive all Taxes |
|--|--|--------------------------|
| 12 | Class 5 Integrator ETO- ETO indicator 60 x 25 mm, with color change from Red and Brown to Yellow green only, 100% Toxic and Metal Free Substances, ISO 11140-1, Type 5, ISO 9001, ISO 13485. | |
| 13 | Class 5 Indicator ETO- Batch Monitoring System (BMS) - Lot Control Test with Helix PCD of 1.5 Meters Length, 2 mm lumen dia, Teflon coated. 4 Block Indicator Color Change from light Blue to Green. 100% Toxic and Metal Free Substances, EN 285, EN 867-5, ISO 11140-1, ISO 11140-4, ISO 11140-5 Standards, ISO 13485 Certified | |
| 14 | Ultrasonic Cleaner Indicator For Monitoring Ultrasonic Washers, High Challenge Level, Color elimination of Fuchsia organic substance , Size 70mm x 30mm, ISO/ TS 15883-5, EN ISO 13485, 5 Years shelf life, | |
| ETO Packing Sterilization Reels ISO 9001, ISO 13485, CE, EN 868 with Steam/ ETO Indicator, 60 gsm Billiard Paper | | |
| 15 | Packing Reel - 05 cm x 200 mts | |
| 16 | Packing Reel - 7.5 cm x 200 mts | |
| 17 | Packing Reel - 10 cm x 200 mts | |
| 18 | Packing Reel - 15 cm x 200 mts | |
| 19 | Packing Reel - 20 cm x 200 mts | |
| 20 | Packing Reel - 25 cm x 200 mts | |
| 21 | Packing Reel - 30 cm x 200 mts | |
| 22 | Packing Reel - 35 cm x 200 mts | |
| 23 | Packing Reel - 40 cm x 200 mts | |

| Sr. No. | Name of Items with Specification | Rate inclusive all Taxes |
|--|---|--------------------------|
| TYVEK Packing Sterilization Reels (For Plasma H2O2) ISO 9001, ISO 13485, CE, EN 868 with Plasma Indicator, 1073B Tyvek | | |
| 24 | Tyvek Sterilization Roll 50mm x 70 M | |
| 25 | Tyvek Sterilization Roll 75mm x 70 M | |
| 26 | Tyvek Sterilization Roll 100mm x 70 M | |
| 27 | Tyvek Sterilization Roll 150mm x 70 M | |
| 28 | Tyvek Sterilization Roll 200mm x 70 M | |
| 29 | Tyvek Sterilization Roll 250mm x 70 M | |
| 30 | Tyvek Sterilization Roll 300mm x 70 M | |
| 31 | Tyvek Sterilization Roll 350mm x 70 M | |
| Disposable SMS Wrapping Paper - US FDA Certified, CE Certified, 96.2% Bacterial Filtration Efficiency (Minimum) with Test Reports, Validation Reports, Certificates, MSDS | | |
| 32 | Kimguard - 61 cm x 61 cm | |
| 33 | Kimguard - 76 cm x 76 cm | |
| 34 | Kimguard - 101 cm x 101 cm | |
| 35 | Kimguard - 121 cm x 121 cm | |
| CSSD Disinfectant Solutions | | |
| 36 | <u>Multi-Enzyme Solution</u> 12% v/v Protease, Lipase, Amylase with Non-Ionic Surfactant, PH Neutral, Corrosion inhibitors, With Validation Reports, MSDS, CoA, Dilution Charts, Training on Usage. CE (93/42/EEC Class II b or 98/8/EC), 13485 | |
| 37 | <u>Rust & Stain Remover</u> Inorganic Acid (> 30% Phosphoric Acid), Non Ionic Surfactant (<5%), Non-flammable, No harmful VOC's, GMP Certified, With Validation Reports, MSDS, CoA, Dilution Charts, Training on Usage. CE (93/42/EEC Class II b or 98/8/EC), 13485 | |

| Sr. No. | Name of Items with Specification | Rate inclusive all Taxes |
|---|---|--------------------------|
| 38 | <p><u>High-Level Disinfectant</u> Aldehyde Free - 3% w/v [poly(hex methylene biguanide)hydrochloride] (PHMB), 10% w/v Dodecyl dimethyl ammonium chloride (DDAC) with Sporicidal and Mycobactericidal activity, Colorless, odorless, known action against nosocomial infections, biofilms, With Validation Reports, MSDS, CoA, Dilution Charts, Training on Usage. CE (93/42/EEC Class II b or 98/8/EC), 13485</p> | |
| 39 | <p><u>Linen Disinfectant</u> 5% w/v Dodecyl Dimethyl Ammonium Chloride (DADC) 4th Gen QAC, bioburden tolerant, Contains fabric softener, no decoloring effect, Bactericidal, fungicidal, veridical With Validation Reports, MSDS, CoA, Dilution Charts, Training on Usage. CE (93/42/EEC Class II b or 98/8/EC), 13485</p> | |
| 40 | <p><u>Surface Disinfectant Spray</u> 0.5% w/v Benzalkonium Chloride IP, 70% Isopropyl Alcohol (2-Propanol) IP, Perfume, Pea Green Color. Bactericidal, Fungicidal, with 1 min contact time, Residual effect, non-corrosive and biocompatibility with all metal and non-metal surfaces With Validation Reports, MSDS, CoA, Dilution Charts, and Training on Usage. CE (93/42/EEC Class II b or 98/8/EC), 13485</p> | |
| CSSD Cleaning/ Safety/ Other Consumables | | |
| 41 | <p><u>Cleaning Brushes</u> Instrument Cleaning Brushes - Set of 2 pcs (Double Sided Brushes with 1 nos Lumen Device and 1 nos Regular brush) for cleaning Suction/ scopes/ lumen devices</p> | |
| 42 | <p><u>SIMPLE PPE Kit – Disposable</u> Personal Protection Kit for WASHING Area with Gown, Gloves, Waste bag, Goggle, Head Cap, Face Mask, Shoe Cover</p> | |
| 43 | <p><u>Fluid shield Facemask with Visor</u> PFE > 99%, BFE > 99%, ASTM 160mm Hg, Ear loop, Foam Band, Orange Color</p> | |

| Sr. No. | Name of Items with Specification | Rate inclusive all Taxes |
|---|---|--------------------------|
| 44 | Medical Safety Clogs Safety Shoes - Covered with Aeration Holes, Anti-Static, Anti-Slip, Chemical Resistant, Good Grip, Blue Colored, Non-Flammable, Washable | |
| 45 | Safety Gloves for Wet Steam Handling for Autoclave Upto 300 Degrees safety, Silicon Material, Flexible, water-proof, Washable, Imported with all Certificates of Analysis | |
| 46 | Special CSSD Marker Pen Non-Toxic Ink, Permanent Marker for Autoclave/ETO/ Plasma. BLACK Color | |
| 47 | Temperature & Humidity Meter Sterile Area Monitor for Temperature, Humidity and time | |
| 48 | Stain and Rust Remover Pad Scotch bright type safe pad for removal of rust, stain, blood from soiled instruments, Non damaging to instruments, Brown Color, Approx. Size - 150 x 100 mm | |
| 49 | MultiMat Disinfectant MultiMat - 60 x 115 cm - Blue with Antimicrobial coating - For Critical area, (30 Layers in 1 Mat set) | |
| Solution for Washer Disinfectant | | |
| 50 | Neutralizer for Machine Cleaning the thermostable & thermolabile instrument & laboratory glass ware | |
| 51 | Alkaline resistant cleaner for metal, glass, plastic, rubber Eliminate area & dirt (blood, protein, oil, grease, resin, wax, thoroughly.) | |
| 52 | Abro Tape | |
| 53 | Autoclave Tape | |
| 54 | Ink Roll | |
| 55 | Thermal Printer Paper for Steam Sterilizer 116mm | |


 Dean,
 Government Medical College &
 Superspeciality Hospital,
 Nagpur.