# शासकीय वैद्यकीय महाविद्यालय व रुग्णालय, नागपूर

GOVERNMENT MEDICAL COLLEGE & HOSPITAL, NAGPUR

Tele. No. Office:-2743588

FAX NO. 0712-274448

No.Hosp/PS/Qt/Enq/Trauma / Quotation	3619	/2023	Dt. <b>2</b> 2	3/2	2023	
To, M/s						
	****					

Subject: - Submission of Quotation for the Supply of Instrument/Articles/Materials to the Govt. Medical College & Hospital, Nagpur.

The undersigned invited sealed quotations for the items mentioned below/on/reverse or as per enclosed statement for the use of the Govt. Medical College & Hospital, Nagpur on the following terms & conditions.

1) The prices quoted should be for delivery to College & Hospital premises for local dealers and F.O.R. Nagpur for outsiders.

2) The Price quoted by inclusive of all taxes, duties if payable GST. The break-up of the taxes should also be shown separately whereever necessary. The sales tax & registration number should be quoted in your letter. Exemption of taxes, if on A.F. Forms etc.be separately stated.

3) The serial number of the items should not be changed while quoting rates. You may drop the item if not interested.

4) Rates should be quoted strictly for the item specified in the list and for standard quality of goods. In case of alternate offer, the detailed specifications, name of manufacturer or make etc must invariably be stated. Specifications other than specified in the schedule may be liable for rejection on even though lowest.

5) The quotation submitted will be valid for a period of One (01) year only from the date of Acceptance.

6) Delivery period should be stated specifically, like ready stock or two weeks or four weeks etc and should be made available to this store within the stipulated period. Failures are liable for delist from further enquiries.

7) The quotation received after due date will not be accepted. The quotation should be submitted in sealed cover and in separate envelopes labelled clearly as "BID 1- Technical' and "BID 2 - Commercial" Unsealed quotations which are not properly sealed will not be accepted. The last or receiving date of the quotation is Dt.09 Ma-2 2023 upto 3.00 p.m.

8) Supply of stores should be made in one instalment unless ordered otherwise. Piecemeal supply will not be accepted. Condition of advance payment through Bank, partpayment etc. will not be accepted.

9) The price quoted is inclusive of all taxes, duties if payable like Customs/ Excise/CST/ST the breakup of the taxes should also be shown separately where necessary. The sales tax and registration number should be quoted in your letter. Exemption of taxes on 'AF'/ Octroi exemption form etc. is separately stated.

10) Quotations if asked with samples should be accompanied if not accompanied with sample it will be liable for rejection even they are lowest. Samples should be sent with a labels attached quoting our ref.no of enquiry and item no etc.

- 11) The Dean, Govt. Medical College & Hospital, Nagpur does not pledge himself to accept the lowest or any quotations and reserves the right of acceptance or rejection of any quotations which are not as per the specification or requirement.
- 12) Supplier must quote the rates of items only those which he/she will display/demonstrate and supply. If the good supplied are different from the sample displayed or checked, order will be cancelled & no payment will be done.
- 13) Literature, Instruction manual, working leaflet etc may also be sent with quotation.
- Registration/Authorization Certificate, Sale tax, IT Return Certificate, PAN card, GST no quotation is mandatory.
- 15) Technical Specifications Compliance Chart with variation/deviation
- 16) Bidder should apply in 2 Bid TECHNICLA BID & COMMERICLA BID also write clearly on envelop as TECHNICLA BID and COMMERICLA BID in BOLD Letter. Bid submitted separately in sealed cover with reference to our Quotation No. on Top of Envelope otherwise their quotation not to be accepted.
  - (a) First Bid (Technical Bid). Should including Registration/Authorization Certificate, Sale tax, IT Return Certificate, PAN card, GST no Compliance chart as per specification, Brochure of the quotes Material as per specification write clearly an envelope as TECHNICAL BID.
  - (b) Second Bid (commercial Bid). Should include items rate including all Taxes only.
- 17) While submitting the bills of good supplied, supplier must calculate unit price and final unit price should reflect the same rate as per order given by the Institute. GST & other taxes should not be calculated on total prices.
- 18) After Opening the technical BD qualified Bidder will have to give demonstration of equipment as well as show their quoted items to HOD for technical approval as a Technical Committee otherwise Bidder names not to be included in commercial bid.

DEAN

Govt. Medical College & Hospital, Nagpur

#### Details as below

Sr. No.	Name of the Items	Dept	Rates including GST
1	Microvascular Instrument Set	Pl. Surgery	
2	Skin Grafting Handle	Pl. Surgery	
3	Autoclavable Cordless Power Drill	Pl. Surgery & Orthopedic	
4	Hand Held Doppler	Pl. Surgery	
5	Manman Drill & Cutter	Neuro Surgery	
6	Craniotomy Set	Neuro Surgery	
7	Biswenger Bipolar Forceps (CLARIS)	Neuro Surgery	
8	Shunt Tunneler	Neuro Surgery	

# Micro Vascular Trot sument Set

MICRO-VASCULAR INSTRUMENT SET	
ITEM NAME & SPECIFICATION	
1.DISSECTING FORCEPS HEAVY ATR 10"	
2.DISSECTING FORCEPS HEAVY 9"	
3. DISSECTING FORCEPS HEAVY ATR. 8"	
4.DISSECTING FORCEPS FINE 6"	
5.DISSECTING FORCEPS ATRAUGRIP 7"	
6.JAMESON SCISSORS	
7.NEEDLE HOLDER RYDER T.C. 6"	
8.NEEDLE HOLDER RYDER T.C. 7"	
9.NEEDLE HOLDER MAYOHEGAR T.C 9"	
10.NEEDLE HOLDER MAYOHEGAR T.C 8"	
11.NEEDLE HOLDER VASCULAR T.C 6"	
12.NEEDLE HOLDER VASCULAR T.C 7"	
13.NEEDLE HOLDER VASCULAR T.C 8"	
14.NEEDLE HOLDER VASCULAR T.C 9"	
15.LUNG HOLDING FORCEPS	
16.SEMB'S CLAMP	
17.MIXTER 9"	
18.MIXTER 7"	
19.COOLEY DERRA CLAMP ASSORTED	
20.KAY'S CLAMP	
21.SATINSKY CLAMP	
22.CROSS CLAMP	
23.NERVE HOOK 7" BLUNT	

Ameter Dr Ritesh cres Assit. Prof

# Skin Grafting Handle

Instrument	Specifications	
Skin Grafting Handle	Watson model	
	Stainless steel	
	Right handed	
CONTRACTOR STATE CONTRACTOR	Length 11 3/4"	
	Non disposable	

John Shikant Pula Con Shikant Pula Asst. Brof. Plastic Sur Trauma Centre

### Technical Specifications of BATTERY OPERATED SYSTEM II Generation

## 1. Oscillating Saw

Working Voltage Output Power No-Load Frequency : 14.4V :>90W

: >6000time/min

No Load Noise : < 90db 22000 Speed Torque : 2.5Nm : Yes Autoclavable Function : Single

: All Sizes can be made as per Doctors requirement Blades

Color : Black

## 2. Dual Function Drill

Working Voltage Output Power : 14.4V : >90W No-Load Frequency :>300r/m No Load Noise : < 75db Speed Torque : 1000 RPM : 2.0 Nm Autoclavable : Yes Color : Black : S.S.Drill Chuck Attachments

A.O Reamer Attachment

Hudson Reamer AttachmentScrew

Zimmer Hudson Attachment is Fixed with the Drill System

## 3. Battery

Type Voltage Autoclavable : NiMh : 14.4V

: Cannot be autoclaved.

: 2 to 3hrs Charging Time Working Time : 40 mins

Guarantee : 3 months or 100 surgeries whichever is earlier)

## 4. Charger

:AC 220V,50Hz Input Voltage Charging Slot : Single Size : Compact

2012/13 April Dr. Ma. Faxad

Hand held Doppler	Bidirectional Doppler
	Pulse wave Doppler
	8Mhz
	Portable
	9V alkaline battery
	Minimum 1 year warranty
	With Ultrasound jelly tube

Sever Sperler

Con Shrikant Perla:

Asst. Brof. Plante Singe

Transia Centre

## Drill Machine

# **Craniotome Handpiece**

Sleek design with a agr onomical pen type firm grip

 Router type cutting with a clean cut for minimum bone loss and edge pr eservation

 Enhanced Cutter material suitable for neur o surgeries and safe for patient use

Quick coupling for r eplacing cutter

 Pediatric type cutters & smaller anchors a vailable against r equest only

Autoclave and ETO friendly under standar d conditions

## CABLE

Flexible shaft for enhanced performance

- Push Pull type of end for quick coupling
- Standard lenght 1.5 meters
- Extra long length 2 meters
- Autoclave and ETO Friendly

Assistant professor

Dept. of Surgery

T.C.C., G.M.C., Nagpur

Officer Incharge TRAUMA CARE CENTER TRAUMA CARE CENTER

## **PERFORATOR**

## **Specifications**

Light weight & Designed to perfection with a irresitable MANMAN GRIP

Super safe speed control via foot pedal controlled motor with minimum bone necrosis

Standered perforator of dia 8mm, 10 mm & 12 mm

Clean cut burr holes due with the dura save mechanism

Quick coupling for easy perforator replacement

Autoclavable

## **MOTOR**

## Specifications

- Completely Enclosed motor With Stainless Steel Body for a long life
- Miniature Circuit Breaker for a safe and short circuit proof electrical supply

Portable and fully mobile stand for easy mobility

Quick Coupling for Flexible Shaft

Easy and quick assembly and dismantling for easy transportation

· Comes with special bag for easy transportation

Assistant Professor
Dept. of Surgery
Nagpur

Assistant Professor

Officer Incharge TRAUMA CARE CENTER GMC, NAGPUR

## Neuro Srill & Cutter

#### Attachments

#### Cranial Attachments

- The motor should have compatible craniotomes of three lengths and a chuck to hold drill bits for drilling holes
- The chuck must reduce the speed of motor in a ratio of 1:60 2.
- For suture holes there should be separate attachments with 2 different lengths not exceeding 9 3. cm

#### Spine Attachments

- There should be straight and angled attachments for drilling and spine work
- The straight and angled attachments should come in 5 different lengths to accommodate all possible indications
- One attachments should take all shapes and sizes of burs to minimize the inventory
- There must be an extender attachment to increase the length of the attachments 4.
- Attachments should be snap connect for easy assembly 5.
- There should alignment dots on both attachment and motor to guide connection of attachments to motor
- The attachments should be capable of telescoping the bur upto minimum 3 notches giving minimum 6 mm variation in bur length for better surgical line of sight

#### **Cutting Accessories**

- 1. Cutting accessories should have cutting burs as well as diamond burs for all kind of works
- 2. They should have telescoping capabilities
- 3. One bur should fit all the attachments

T.C.C., G.M.C., Nagpur

T.C.C., G.M.C., Nagpur

Professor TRAUMA CARE CENTER

# Neuro Drill & Cutter

#### **Motor Specs**

- The drill should have an electric motor driven through a console
- Maximum motor speed should be 75000RPM
- The stall torque of the motor should be between 4.5-5.5 in-oz
- 4. The motor should be sleek with diameter not more than 20 mm
- Length of the motor should not be less than 110 mm
- 6. The weight of the motor(including hose) should be 320 grams
- 7. The chord length should be 4.5 meters
- 8. It should reduce thermal necrosis by providing Integrated irrigation
- 9. Motor should be able to run on a fixed or a variable mode through the console

#### Console specs

- 1. It should be a multispecialty console with provision to attach Neuro Drill, ENT Shaver(microdebrider), Small bone saws & Heavy Duty orthopaedic power tools
- 2. It should have touchscreen capability
- 3. should have the provision to attach 3 hand pieces simultaneously and should be able to select any one handpiece by a click of the footswitch
- 4. The console should have the provision to use 2 handpieces simultaneously with 2 foot switches.

XX

- 6. It should identify different hand pieces with display on console
- 7. It should be programmable as per surgeon preference.
- 8. It should be compatible to more than 7 handpieces.
- 9. It should have function of controlling brightness, contrast and alarms on the console
- 10. It should have the option of controlling the speeds and features of the different types of hand pieces from the same unit.
- 11. It should have the provision to use 2 handpieces simultaneously with 2 foot switches.
- 12. It should have the provision to attach 3 hand pieces simultaneously and should be able to select any one handpiece by a click of the footswitch

Assistant Professor

Assistant Professor

Officer Incharge CARE CENTER

r		CRAMOTOMY Set		
1	SR NO	NO PRODUCT NAME		TY
İ	1	ADSON DISSECTING FORCEPS 5"		4
1	2	ALLIS TISSUE 6"		3
1	3	ARTERY FORCEP CVD .6"		6
1	4	B.P HANDLE NO.3. LONG (MX)		1
5 B.P		B.P. HANDLE NO 4		1
	6	BAYONET FORCEPS		1
	7	BIPOLAR FORCEP		1
	8	BONE ELEVATORS HOHMAN TYPE 8 M		1
	9	BONE NIBBLER 9"		1
	10	BONE NIBBLER 9"		1
	11	BONE NIBBLER7"		1
	12	DANDY ARTERY FORCEP 5.5" (MX)		12
	13	DISC PUNCH FORCEP 2 MM		1
	14	DISC PUNCH FORCEP 3 MM		1
	15	DISSECTING FORCEP 6" PLAIN (MS)		1
	16	DRESSING DRUM SS SEAMLESS 11"		1
	17	FISH HOOK		2
	18	KERRISON PUNCH 4MM (BLACK)		1
	19			1
	20		_	1
	21			1
	22			2
	23			2
	24			2
	25			1
	26			1
	27			6
	28			1
	29			1
	30	RIGHT ANGLE (LENGENBACK) RET		4
	31	. S.S.BOUL MEDIUM		3
	32	SHANT INTRODUCER 50 MM LENGTH		1
	33	SPONGE HOLDER 10"		1
	34	SUCTION TIP		3
	35	TOWEL FORCEP 5"		6
			-	A STATE OF THE PARTY OF THE PAR

## BIPOLAR FORCEPS

## **Technical Specification**

- 1) forceps Should be made of German steel Material.
- 2) All Instruments should have highly heat resistance.
- 3) All Instruments should have Country of Origin printed on each instruments.
- 4) All Instruments Should have European CE and TUV Certification, (Should produced a documents)
- 5) Lot Number should be Mentioned on each and every instruments.
- 6) Part Number Should be Mentioned on each and every instruments.



## Shunt Tunneler

GRADE -SS304.

MATERIAL--STAINLEE STEEL.(S.S)

**QUANTITY - 1 PACK** 

**BRAND --- MATRIAL STAIN LESS STEL** 

Assistant Professor

Dept. of Surgery

T.C.C., G.M.C., Nagpur

Assistant Professor
Dept. of Surgery
T.C.C., G.M.C., Nagpur

Officer Incharge TRAUMA CARE CENTER GMC, NAGPUR